

SYMBOLS/ABBREVIATIONS

S.D.(1)	S.D. stands for Stitch Dial and the figure in
	circle indicates Stitch
	Dial number.
pos.	 position
st. (sts.)	 — stitch or stitches
Nd. (Nds.)	- Needle or Needles

Knit Pattern

Three series of New Knit Pattern drawn to 1/2 size in full pattern, for women, men and children. Using those pattern styles increase your collection of wardrobe.



Your letters to "Knits for Joy" are always welcomed at the following address:—

S.S.C. P.O. Box 5095, Tokyo International Tokyo, 100-31, Japan

© Silver Knitting Institute, Tokyo, Japan Printed in Japan 87.1.4M(30)

LADY'S JACKET

Finished measurements

	A	В	С	
Bust	110	114	118	
Length	55	56	57	
Sleeve length	56	57	58	

Materials/others:

Very thick knobbly yarn (80% wool, 20% kidmohair)...... 480—550gs. Waste yarn..... reasonable amount Hook and eye Machine...... LK-100 (Zippy 90)

Tension Gauge

14 sts. by 20 rows over the swatch of Tuck Stitch with the Stitch Dial at ①.

Pattern Chart for Tuck Stitch

0	-	-	-	-	-	0	1	*	-	1	-	7
Ц		-	2 		-	Ц	-	-	-	-	-	6
0	-	577				0	-	200		-	-	5
Ш	-		-	-	-	Ц	-		2		1	4
0			-	-		0				-		3
Ц	-	-	(<u>-7</u>	-		Ц		-	0 <u></u> 0	-	-	2
	-		()		1			-	-	-	

-..... Purl Stitch

 I...... Insert the tappet tool into the stitch on the first row and unravel the stitches.
 Pass the tappet tool behind the first

loop, catch the next bar and pull it towards you.

..... Pass the tappet tool behind the loop, catch the fourth bar and pull it towards you.

Reform the stitch every 2 rows.

To knit

Purl side is worn.

Knit back, fronts, sleeves and collar in Tuck Stitch following the patterns given on pages 3—5 and instructions below.

If your Tension Gauge is different from the one above-mentioned, select one of those 3 sizes given to fit you and calculate the number of stitches and rows according to your Tension Gauge by using Knitting Scales.

(Back)

size: cm.

Numbers in blacket refer to the sizes A and C.

- (1) Cast on 72 (70, 74) sts. and knit several rows with waste yarn.
 - Carriage at right, S.D. ⑦, main yarn in Yarn Feeder, knit 66 (64, 68) rows without shaping.
- (2) Shape armhole by decreasing sts. on both sides as follows.
 - Decrease 4 sts. on the side with Carriage.
 - Knit 1 row and decrease 4 sts. on the side with Carriage.
 - Knit 4 rows, decreasing 1 st. every row on both sides.
 - Knit 2 rows and decrease 1 st. on both sides.
 - Knit 3 rows and decrease 1 st. on both sides.
 - Knit 6 rows and decrease 1 st. on both sides.
- Knit 26 rows without shaping.
- (3) Slope shoulder by partial knitting by decreasing sts. on both sides as follows.
 - Push 4 Nds. to D pos. on the opposite side of Carriage and knit 1 row.
 - Push 4 Nds. to D pos. on the opposite side of Carriage and knit 1 row.
- (4) From back neckline knit right and left separately and start with Carriage side.

Shape back neckline by decreasing sts. while sloping shoulder by partial knitting.



- Push Nds. in section (a) and (b) to D pos.
- Knit 1 row and decrease 2 sts. on the side with Carriage to shape back neckline.
- Push 4 (3, 4) Nds. to D pos. on the opposite side of Carriage and knit 1 row.
- Decrease 1 st. on the opposite side of Carriage.
- Knit 1 row and decrease 1 st. on the side with Carriage.
- Push 3 (3, 4) Nds. to D pos. on the opposite side with Carriage and knit 2 rows.
- Remove section (C) on waste knitting.
- Remove section (b) on waste knitting.
- Push Nds. in section (a) back to C pos.



- Push 4 (3, 4) Nds. to D pos. on the opposite side of Carriage and knit 1 row.
- Decrease 2 sts. on the opposite side of Carriage to shape back neckline.
 Knit 1 row and decrease 1 st. on the
- side with Carriage.
- Push 3 (3, 4) Nds. to D pos. on the opposite side of Carriage.
- Knit 1 row and decrease 1 st. on the opposite side of Carriage.
- Knit 1 row.
- Remove section (d) on waste knitting.

(Right Front)

- (1) Cast on 36 (35, 37) sts. and knit several rows with waste yarn.
 - Carriage at right, S.D. ⑦, main yarn in Yarn Feeder, knit 66 (64, 68) rows without shaping.
- (2) Shape armhole by decreasing sts. on the left side of fabric in the same manner as for back.
 - Knit 12 rows without shaping.

- (3) Shape front neckline on the right side of fabric by decreasing sts. as follows.
 - Decrease 3 sts. and knit 1 row.
 - Decrease 2 sts. and knit 1 row.
 - Decrease 1 st. and knit 1 row.
 - Decrease 1 st. and knit 2 rows.
 - Decrease 1 st. and knit 2 rows.
 - Decrease 1 st. and knit 3 rows.
 - Decrease 1 st. and knit 4 rows.
- (4) Push 4 Nds. to D pos. on the opposite side of Carriage to slope shoulder and knit 2 rows.
 - Decrease 1 st. to shape front neckline.
 - Push 4 (3, 4) Nds. to D pos. on the opposite side of Carriage and knit 2 rows.
 - Push 3 (3, 4) Nds. to D pos. on the opposite side of Carriage and knit 2 rows.
 - Remove the section on waste knitting.

(Left Front)

Knit left front in the same manner as for right front but reverse shaping.

(Sleeve) -both alike-

- (1) Cast on 34 (32, 34) sts. and knit several rows with waste yarn.
- (2) S.D. ⑦, main yarn in Yarn Feeder, knit underarm as follows.
 - Increase 1 st. on both sides after 7 rows of knitting.
 Repeat this process 6 times, then

increase 1 st. after 6 rows of knitting 6 times.

- Knit 6 (4, 8) rows without shaping.
- (3) Knit sleeve cap, decreasing sts. on both sides as follows.
 - Decrease 3 sts. on the side with Carriage.
 - Knit 1 row and decrease 3 sts. on the side with Carriage
 - Decrease 1 st. on both sides after 1 row of knitting 7 times.
 - Decrease 1 st. on both sides after 2 rows of knitting 2 times.

- 2 -

- Decrease 1 st. on both sides after 3 rows of knitting 2 times.
- Decrease 1 st. on both sides after 2 rows of knitting 3 times.
- Decrease 1 st. on both sides after 1 row of knitting 5 times.
- Decrease 2 sts. on both sides after 1 row of knitting.
- Knit 1 row and cast off the sts.

(Collar)

- Cast on 69 sts. and knit several rows with waste yarn.
 - S.D. ⑦, main yarn in Yarn Feeder, knit 6 rows without shaping.
 - S.D. 6, knit 5 rows.
 - S.D. (5), knit 5 rows.
 - S.D. (1), knit 5 rows.
 - S.D. (3), knit 5 rows.
- (2) Knit several rows with waste yarn and remove the fabric from the machine.

(Braid)

- Arrange Nds. as shown below and knit several rows with waste yarn.
 - o
 A position

 Image: Imag
 - S.D. ①, main yarn in Yarn Feeder, knit 1 row.
- (2) Push the center Nd. to D Pos. and knit 4 rows.
- (3) Push the Nd. in D pos. back to C pos. and knit 2 rows. N.B. Hold the fabric downward by

hand.

- (4) Repeat the steps (2)—(3).
- (5) Knit 2 braids to fit the lower edge of sleeve and another braid to fit front edges and lower edge of fronts and back.

To make up

- (1) Block out each piece to size and press with a steam iron.
- (2) Join both shoulders on the machine.
- (3) Join side and underarm seams by blind stitch.
- (4) Finish the lower edges of sleeves with single crochet using crochet hook.
- (5) Finish the front edges and lower edge of front and back with single crochet and neckedge with double crochet using crochet hook.
- (6) Finish the lower, upper and side edges of collar with single crochet using crochet hook.
- (7) Join collar to neckedge using tapestry needle.
- (8) Set in sleeves.
- (9) Join both ends of braid for lower edge of sleeve and sew it to the position.
- (10) Sew braid along the front edges and lower edge of fronts and back.
- (11) Sew on an eye at the top of front edge and a hook to correspond.

Collar

Center

(12) — Give final pressing.



